## SPECIFICATIONS -

| 31 Len Textions |                    |                           |                             |
|-----------------|--------------------|---------------------------|-----------------------------|
| AP              |                    | PARAMETERS                | MEASUREMENTS                |
| JUHDEL          | BODY DIMENSIONS    | Length                    | 2046 mm                     |
|                 |                    | Width                     | 737 mm                      |
|                 |                    | Height                    | 1116 mm                     |
|                 |                    | Wheel Base                | 1285 mm                     |
|                 |                    | Ground Clearance          | 162 mm                      |
|                 |                    | Kerb Weight               | Disc 115 kg, Drum 114 kg    |
|                 |                    | Seat Length               | 651 mm                      |
|                 |                    | Seat Height               | 791 mm                      |
|                 |                    | Fuel Tank Capacity        | 10.5 L                      |
|                 | ENGINE             | Туре                      | 4 Stroke, SI, BS-VI Engine  |
|                 |                    | Displacement              | 124cc                       |
|                 |                    | Max Engine Output         | 7.9 kW @ 7500 rpm           |
|                 |                    | Max Torque                | 11 N-m @ 6000 rpm           |
|                 |                    | Fuel System               | PGM- FI                     |
|                 |                    | Bore X Stroke             | 50.0 X 63.1 mm              |
|                 |                    | Compression Ratio         | 10±0.2                      |
|                 |                    | Starting Method           | Self/Kick                   |
|                 | TRANSMISSION       | Clutch Type               | Multiplate Wet Clutch       |
|                 |                    | No. of Gears              | 5                           |
|                 | TYRES & BRAKES     | Tyre Size & Type (Front)  | 80/100-18 M/C 47P, Tubeless |
|                 |                    | Tyre Size & Type (Rear)   | 80/100-18 M/C 54P, Tubeless |
|                 |                    | Brake Type & Size (Front) | Disc-240 mm, Drum-130 mm    |
|                 |                    | Brake Type & Size (Rear)  | Drum-130 mm                 |
|                 | FRAME & SUSPENSION | Frame Type                | Diamond Type                |
|                 |                    | Front Suspension          | Telescopic                  |
|                 |                    | Rear Suspension           | Hydraulic Type              |
|                 | ELECTRICALS        | Battery                   | 12V, 5.0Ah                  |
|                 |                    | Head Lamp                 | Halogen Bulb, DC            |
|                 |                    |                           |                             |









onda Shield Products\*\* Annual Maintenance Contract Road Side Assistance Engine Health Assurance









GENY GREY METALLIC

REBEL RED METALLIC

+The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Shine meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment. • ^Mileage has increased by 14% for Shine as compared to CB Shine BS IV. • \*Ground Clearance has increased by 5 mm and Wheelbase has been increased by 19 mm for Shine as compared to CB Shine BS IV. \*\*Conditions apply. ^^Only rear tyre is HET.

Honda Motorcycle and Scooter India Pvt. Ltd., Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana) Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

HONDA
The Power of Dreams

सच कर देंगे सपने









**AMAZING COMFORT. AMAZING TECHNOLOGY. AMAZING FEELING.**  Honda presents the all new Shine with amazing **eSP Technology** and eco-friendly BS-VI Engine that keeps emission in check. Its **ACG Starter** removes gear meshing noise and helps start the engine without a jolt. And its **5-Speed Transmission** ensures that your ride is always amazingly smooth.

# **NEXT GEN** BS-VI **TECHNOLOGY** 125cc HET BS-VI Engine Ahead of its time, the latest innovation in engine contributes to a cleaner environment. The intelligent HET engine delivers an unmatched performance.





#### **eSP TECHNOLOGY**

With Shine, expect nothing but the best. Honda's Enhanced Smart Power (eSP) technology maximizes performance and fuel-efficiency by reducing friction to give you the best riding experience.

## **SILENT START WITH ACG**

Honda's unique ACG starter removes gear meshing noise and helps start the engine without a jolt.

#### PGM-FI

PGM-FI system is a sensor based advance system which constantly ensures optimum fuel delivery to the engine resulting in efficient combustion that aids in consistent power output, higher mileage & lesser emissions.



# FRICTION REDUCTION

The offset cylinder, roller rocker arm fitted with needle bearing reduces the frictional losses in the engine. The piston cooling jet improves the cooling efficiency and maintains optimum engine temperature.




# 14%^ MORE MILEAGE

A completely new engine powered by Honda's globally acclaimed eSP technology delivers 14%<sup>^</sup> more mileage.



# **HET TUBELESS TYRE^^**

Honda's low-rolling resistance tubeless tyre is specially designed to increase fuel-efficiency.







Makes your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.



# **CBS WITH EQUALIZER**

The Combi-Brake System with Equalizer reduces braking distance, so you can ride with confidence.



## MORE GROUND CLEARANCE & WHEELBASE

5 mm more ground clearance\* gives immense confidence to pass through rough roads and potholes with ease. Stability on high speed is greatly enhanced with 19 mm increased wheelbase\*.



## **SEAL CHAIN**

Seal Chain is low on maintenance and high on durability for a hassle-free riding experience.



# **3+3 YEARS WARRANTY PACKAGE**

Get complete peace of mind with 6 years warranty package, comprising of 3 years standard and 3 years optional service warranty.

